Certificate of Analysis


CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg

Ingestible, Tincture



Results

1,000 mg/unit CBD	**65.2 mg/unit** CBN
1,000 mg/unit Total CBD	**37.1 mg/unit** Total THC
1,130 mg/unit Total Cannabinoids	

Tests Summary

Cannabinoids Tested	**Moisture** Not Tested	**Microbials** Pass
Foreign Matter Pass	**Water Activity** Pass	**Homogeneity** Not Tested
Terpenes Not Tested	**Contaminant Load** Not Tested	**Residual Solvents** Pass
Mycotoxins Pass	**Heavy Metals** Pass	**Pesticides** Pass
Kratom Not Tested	**Contaminants** Tested	

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Cannabinoids

Tested

Sample Prep
Tech: 4528, 4514
SOP: SOP 801
Batch Number: WCNDFL-FL1020-0012882
Batch Date: 10/20/2026 12:44

Sample Analysis
Date/Time: 10/20/2026 17:24
Tech: 4514
SOP: SOP 801
Instrument: HPLC - 3012
Initial Weight: 1.017 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (mg/g)	LOQ (mg/g)	%	mg/g	mg/unit
CBDV	1,040	0.01	0.511	< LOQ	< LOQ	< LOQ
CBDa	1,040	0.078	0.511	ND	ND	ND
CBGa	1,040	0.038	0.511	ND	ND	ND
CBG	1,040	0.084	0.511	**0.1034**	**1.034**	**26.888**
CBD	1,040	0.142	0.511	**3.8564**	**38.564**	**1,002.664**
THCV	1,040	0.033	0.511	ND	ND	ND
THCVa	1,040	0.028	0.511	ND	ND	ND
CBN	1,040	0.015	0.511	**0.2507**	**2.507**	**65.186**
D8-THC	1,040	0.086	0.511	ND	ND	ND
D9-THC	1,040	0.074	0.511	**0.1427**	**1.427**	**37.101**
CBC	1,040	0.055	0.511	ND	ND	ND
THCa	1,040	0.084	0.511	ND	ND	ND
CBCa	1,040	0.14	0.511	ND	ND	ND
Total CBD				**3.8564**	**38.564**	**1,002.664**
Total THC				**0.1427**	**1.427**	**37.101**
Total Cannabinoids				**4.3532**	**43.532**	**1,131.840**

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Certificate of Analysis

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Microbials

Pass

Sample Prep
Tech: 4302
SOP: SOP 406-FL & SOP 412-FL
Batch Number: WINCFL-FL1020-0012861
Batch Date: 10/20/2026 10:33

Sample Analysis
Date/Time: 10/23/2026 13:02
Tech: 4527
SOP: SOP 406-FL SOP & 412-FL
Instrument: AriaMx Real-Time PCR System - 2958 / Balance XSR104 2835 - 2835
Initial Weight: 3.091 g
Initial Volume: -
Final Volume: -

Analyte	DF	Limit (CFU/g)	Result	Status
Yeast & Mold	1.00	100,000	ND	Passed
Salmonella	10.0	None Present	Absence	Passed
Aspergillus Flavus	10.0	None Present	Absence	Passed
Aspergillus Fumigatus	10.0	None Present	Absence	Passed
Aspergillus Niger	10.0	None Present	Absence	Passed
Aspergillus Terreus	10.0	None Present	Absence	Passed
STEC E. Coli	10.0	None Present	Absence	Passed
Total Aerobic Microbial Count	1,000		ND	Tested

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Certificate of Analysis

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Foreign Matter

Pass

Sample Prep/Analysis
Tech: 4302
SOP: SOP 409-FL
Batch Date: 10/20/2026 10:31

Sample Analysis
Date/Time: 10/20/2026 17:10
Tech: 4527
SOP: SOP 409-FL
Initial Weight: 1 g
Initial Volume: -
Final Volume: -

Analyte	Limit (%)	%	Status
FM Weight	1	0.00	Passed
FM Sample Area	10	0.00	Passed
Feces, Mold, Mildew, and/or Fungus	0	Absence	Passed

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Certificate of Analysis

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Water Activity

Pass

Sample Prep
Tech: 4302
SOP: SOP 206
Batch Number: WWAFL-FL1023-0013051
Batch Date: 10/23/2026 09:20

Sample Analysis
Date/Time: 10/24/2026 15:43
Tech: 4495
SOP: SOP 206
Instrument: Rotronic Water Activity Meter - 3530
Initial Weight: 1.003 g
Initial Volume: -
Final Volume: -

Analyte	Limit (aw)	aw	Status
Water Activity	0.85	**0.40**	Passed

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Certificate of Analysis

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Residual Solvents

Pass

Sample Prep
Tech: 3358, 4514
SOP: SOP 405-FL
Batch Number: WRSVFL-FL1020-0012880
Batch Date: 10/20/2026 12:38

Sample Analysis
Date/Time: 10/21/2026 16:15
Tech: 4514
SOP: SOP 405-FL
Instrument: GCMS-HS - 3015
Initial Weight: 0.104 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
1,2-Dichloroethane	1.00	0.7	1.0	2.0	ND	Passed
Acetone	1.00	2.0	20.0	750.0	ND	Passed
Acetonitrile	1.00	2.0	20.0	60.0	ND	Passed
Benzene	1.00	0.2	0.4	1.0	ND	Passed
Butane	1.00	10.0	20.0	5,000.0	ND	Passed
Chloroform	1.00	0.2	0.4	2.0	ND	Passed
Ethanol	1.00	20.0	40.0	5,000.0	ND	Passed
Ethyl Acetate	1.00	2.0	20.0	400.0	ND	Passed
Ethyl Ether	1.00	20.0	40.0	500.0	ND	Passed
Ethylene Oxide	1.00	0.7	2.0	5.0	ND	Passed
Heptane	1.00	20.0	40.0	5,000.0	ND	Passed
Hexanes	1.00	4.0	8.0	250.0	ND	Passed
Isopropyl Alcohol	1.00	20.0	40.0	500.0	ND	Passed
Methanol	1.00	20.0	40.0	250.0	ND	Passed
Methylene Chloride	1.00	20.0	40.0	125.0	ND	Passed
Pentanes	1.00	6.7	13.3	750.0	ND	Passed
Propane	1.00	2.0	20.0	5,000.0	ND	Passed
Toluene	1.00	2.0	20.0	150.0	ND	Passed
Trichloroethylene	1.00	1.0	2.0	25.0	ND	Passed
Total Xylenes				150.0	ND	Passed
1,1-Dichloroethene	1.00	0.7	2.0	8.0	ND	Passed

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Certificate of Analysis

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Mycotoxins

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL1020-0012881
Batch Date: 10/20/2026 12:41

Sample Analysis
Date/Time: 10/21/2026 16:20
Tech: 4514
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998
Initial Weight: 0.104 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
B1	2.50	1.918	9.588	20.000	ND	Passed
B2	2.50	1.918	9.588	20.000	ND	Passed
G1	2.50	1.918	9.588	20.000	ND	Passed
G2	2.50	1.918	9.588	20.000	ND	Passed
Ochratoxin A	2.50	1.918	9.588	20.000	ND	Passed

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

Certificate of Analysis

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Heavy Metals

Pass

Sample Prep
Tech: 4510
SOP: SOP 428-FL
Batch Number: WMTLFL-FL1020-0012884
Batch Date: 10/20/2026 12:47

Sample Analysis
Date/Time: 10/24/2026 15:39
Tech: 4495
SOP: SOP 428-FL
Instrument: ICP-MS - 2837 / Multiwave 7000 - 3023 / Multiwave 7000 - 3082
Initial Weight: 0.247 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppb)	LOQ (ppb)	Limit (ppb)	ppb	Status
Arsenic	50.0	8.303	75.942	1,500.000	ND	Passed
Cadmium	50.0	5.468	75.942	500.000	ND	Passed
Mercury	50.0	6.075	75.942	3,000.000	ND	Passed
Nickel	50.0	78.372	227.825	3,000.000	< LOQ	Passed
Lead	50.0	5.468	227.825	500.000	< LOQ	Passed
Tin	50.0	228.838	303.767	4,000.000	ND	Passed

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Pesticides

Pass

Sample Prep
Tech: 3358
SOP: SOP 424-FL
Batch Number: WPMCFL-FL1020-0012881
Batch Date: 10/20/2026 12:41

Sample Analysis
Date/Time: 10/21/2026 16:20
Tech: 4514
SOP: SOP 424-FL
Instrument: LC-MS/MS - 2998 / GC-MS/MS - 3005
Initial Weight: 0.634 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Abamectin	2.50	0.008	0.021	0.300	ND	Passed
Acephate	2.50	0.010	0.024	3.000	ND	Passed
Acequinocyl	2.50	0.010	0.024	2.000	ND	Passed
Acetamiprid	2.50	0.002	0.010	3.000	ND	Passed
Aldicarb	2.50	0.005	0.019	0.100	ND	Passed
Azoxystrobin	2.50	0.002	0.010	3.000	ND	Passed
Bifenazate	2.50	0.002	0.010	3.000	ND	Passed
Bifenthrin	2.50	0.010	0.024	0.500	ND	Passed
Boscalid	2.50	0.012	0.048	3.000	ND	Passed
Carbaryl	2.50	0.005	0.010	0.500	ND	Passed
Carbofuran	2.50	0.002	0.010	0.100	ND	Passed
Chlorantraniliprole	2.50	0.002	0.010	3.000	ND	Passed
Chlorpyrifos	2.50	0.010	0.024	0.100	ND	Passed
Clofentezine	2.50	0.010	0.024	0.500	ND	Passed
Coumaphos	10.0	0.010	0.050	0.100	ND	Passed
Cyfluthrin	10.0	0.010	0.100	1.000	ND	Passed
Cypermethrin	10.0	0.010	0.100	1.000	ND	Passed
Daminozide	2.50	0.010	0.024	0.100	ND	Passed
Diazinon	2.50	0.002	0.010	0.200	ND	Passed
Dichlorvos	2.50	0.010	0.024	0.100	ND	Passed
Dimethoate	2.50	0.002	0.010	0.100	ND	Passed
Dimethomorph	2.50	0.003	0.011	3.000	ND	Passed
Ethoprophos	2.50	0.002	0.010	0.100	ND	Passed
Etofenprox	2.50	0.002	0.010	0.100	ND	Passed
Etoxazole	2.50	0.002	0.010	1.500	ND	Passed
Fenhexamid	2.50	0.010	0.048	3.000	ND	Passed
Fenoxycarb	2.50	0.002	0.010	0.100	ND	Passed
Fenpyroximate	2.50	0.002	0.019	2.000	ND	Passed
Fipronil	2.50	0.002	0.010	0.100	ND	Passed

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg

Ingestible, Tincture

Analyte	DF	LOD (ppm)	LOQ (ppm)	Limit (ppm)	ppm	Status
Flonicamid	2.50	0.005	0.019	2.000	ND	Passed
Fludioxonil	2.50	0.005	0.010	3.000	ND	Passed
Hexythiazox	2.50	0.005	0.019	2.000	ND	Passed
Imazalil	2.50	0.010	0.024	0.100	ND	Passed
Imidacloprid	2.50	0.024	0.120	3.000	ND	Passed
Kresoxim Methyl	2.50	0.005	0.010	1.000	ND	Passed
Malathion	2.50	0.019	0.048	2.000	ND	Passed
Mevinphos	2.50	0.009	0.022	0.100	ND	Passed
Metalaxyl	2.50	0.002	0.010	3.000	ND	Passed
Methiocarb	2.50	0.002	0.010	0.100	ND	Passed
Methomyl	2.50	0.002	0.010	0.100	ND	Passed
Myclobutanil	2.50	0.005	0.024	3.000	ND	Passed
Naled	2.50	0.019	0.024	0.500	ND	Passed
Oxamyl	2.50	0.002	0.010	0.500	ND	Passed
Paclobutrazol	2.50	0.002	0.010	0.100	ND	Passed
Permethrin	2.50	0.010	0.024	1.000	ND	Passed
Phosmet	2.50	0.005	0.024	0.200	ND	Passed
Piperonyl Butoxide	2.50	0.002	0.010	3.000	ND	Passed
Prallethrin	2.50	0.010	0.024	0.400	ND	Passed
Propiconazole	2.50	0.010	0.024	1.000	ND	Passed
Propoxur	2.50	0.002	0.010	0.100	ND	Passed
Pyrethrins	2.50	0.032	0.064	1.000	ND	Passed
Pyridaben	2.50	0.002	0.010	3.000	ND	Passed
Spinetoram	2.50	0.007	0.017	3.000	ND	Passed
Spinosyn AD	2.50	0.010	0.041	3.000	ND	Passed
Spiromesifen	2.50	0.002	0.010	3.000	ND	Passed
Spirotetramat	2.50	0.005	0.024	3.000	ND	Passed
Spiroxamine	2.50	0.002	0.010	0.100	ND	Passed
Tebuconazole	2.50	0.010	0.024	1.000	ND	Passed
Thiacloprid	2.50	0.002	0.010	0.100	ND	Passed
Thiamethoxam	2.50	0.002	0.010	1.000	ND	Passed
Trifloxystrobin	2.50	0.002	0.010	3.000	ND	Passed
Methyl Parathion	10.0	0.010	0.020	0.100	ND	Passed
Chlordane	10.0	0.010	0.020	0.100	ND	Passed
Chlorfenapyr	10.0	0.010	0.020	0.100	ND	Passed
Chlormequat Chloride	2.50	0.002	0.010	3.000	ND	Passed
Pentachloronitrobenzene	10.0	0.010	0.050	0.200	ND	Passed

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.

Certificate of Analysis

CMTL-0004
ACT Laboratories (FL)
4001 SW 47th Ave Suite 208, Davie, Florida
8448228522
dakotad@actlab.com

.
Order No.: OFLBWU1019-0017817
Florida,

Sample: SFLBWU1019-ITIN-0009837
Unit Weight: 26.0000g , Sample Size for Testing: 1.0000 Units
Batch#: FST1K2746
COA Expiration Date: 10/19/2027
MMTC Information
Cultivation Facility: , Processing Facility:
Sample Collection Facility:

CBD Full Spectrum Tincture 1000mg
Ingestible, Tincture

Contaminants

Tested

Sample Prep
Tech: 3358
SOP: SOP 805-MI
Batch Number: WRSVFL-FL1020-0012880
Batch Date: 10/20/2026 12:38

Sample Analysis
Date/Time: 10/21/2026 16:15
Tech: 4514
SOP: SOP 805-MI
Instrument: GCMS-HS - 3015
Initial Weight: 0.104 g
Initial Volume: -
Final Volume: -

Analyte	DF	LOD (ppm)	LOQ (ppm)	ppm
Diacetyl ♦	1.00	2.00	20.00	ND

ACCREDITED
CERT #7425.05

Dakota Detwiler
Director of Operations

♦ indicates ISO/IEC 17025:2017 accreditation is pending. This sample has been tested by ACT Laboratories using valid, ISO/IEC 17025:2017 accredited testing methodologies and a quality system as required by state law. Values reported relate only to the sample tested. Results are deemed acceptable if they fall within the specified acceptance criteria as defined by the applicable regulatory limit or client specification, with no measurement uncertainty applied. ACT Laboratories makes no claims as to the efficacy, safety or other risks associated with any detected or non-detected levels of any compounds reported herein. The samples were received in their original condition and subsequently tested without any modifications. This Certificate shall not be reproduced except in full, without the written approval of ACT Laboratories. The authenticity of this document is only guaranteed if issued from an @actlab.com email address.